


# WISSENSCHAFTLICHE PUBLIKATIONEN



## WISSENSCHAFTLICHE PUBLIKATIONEN

Denschlag D, **Bentz EK, Hefler L,**  
Pietrowski D, **Zeillinger R, Tempfer C, Tong D**  
Genotype distribution of estrogen receptor- $\alpha$ ,  
catechol-O- methyltransferase, and cytochrome  
P450 17 gene polymorphisms in Caucasian women with  
uterine leiomyomas.  
Fertil Steril 2006 Feb; 85 (2): 462-71 **IF: 3,114**

Bogavac M, **Bettelheim D,** Goutzioulis AM, Bontis JN  
Cergem (Gemeprost) versus Myfegine/Cyprostol  
Comparison of the two methods for termination of preg-  
nancy with congenital anomalies  
Hellenic Obstet Gynecol 2006, 18: 200-205

**Blaicher W,** Brugger PC, Mittermayer C,  
Schwindt J, **Deutinger J, Bernaschek G,** Prayer D  
Magnetic Resonance Imaging of the normal Placenta  
Eur J Radiol 2006 Feb; 57 (2): 256-260 **IF: 1,888**

**Bodner-Adler B,** Bodner K, **Zeisler H**  
Primitive neuroectodermal tumor (PNET)  
of the brain diagnosed during pregnancy.  
Anticancer Res 2006; 26(3B): 2499-501 **IF: 1,604**

**Bodner-Adler B,** Nather A, Bodner K, Czerwenka K,  
Kimberger O, **Leodolter S, Mayerhofer K**  
Expression of thrombospondin 1 (TSP 1)  
in patients with uterine smooth muscle tumors:  
an immunohistochemical analysis.  
Gynecol Oncol 2006; 103(1): 186-89 **IF: 2,251**

Schneider B, **Cohen E,** Stani J, **Kolbus A,** Rudas M,  
Horvat R, Dudek G, **Dietrich W, van Trotsenburg M**  
Towards the expression of sex hormone receptors in the  
human vocal fold.  
J Voice 2006 Mar 24 **IF: 0,467**

Peralta CF, Cavoretto P, **Csapro B,**  
Falcon O, Nicolaidis KH  
Lung and heart volumes by three-dimensional ultrasound  
in normal fetuses at 12-32 weeks' gestation.  
Harris Birthright Research Centre for Fetal Medicine,  
King's College; Hospital Medical School, London, UK.  
Ultrasound Obst Gyn 2006 Feb; 27 (2):128-33 **IF: 2,430**

Borenstein M, Dagklis T, **Csapro B,**  
Sotiriadis A, Nicolaidis KH  
Brachycephaly and frontal lobe hypoplasia  
in fetuses with trisomy 21 at 11 + 0 to 13 + 6 weeks.  
Harris Birthright Research Centre for Fetal Medicine,  
King's College; Hospital Medical School, London, UK  
Ultrasound Obst Gyn 2006 Dec; 28 (7): 870-5 **IF: 2,430**

Voglauer R, Chang MW, **Dampier B,** Wieser M,  
Baumann K, Sterovsky T, **Schreiber M,**  
Katinger H, Grillari J.  
SNEV overexpression extends the life span of human  
endothelial cells.  
Exp Cell Res 2006; 312 (6): 746-759 **IF: 4,148**

**Dietrich W,** Haitel A, Holzer G,  
**Huber JC, Kolbus A, Tschugguel W**  
Estrogen Receptor- $\beta$  Is the Predominant Estrogen  
Receptor Subtype in Normal Human Synovia.  
J Soc Gynecol Invest 2006 Oct; 13 (7): 512-7 **IF: 2,887**

Demyanets S, Pfaffenberger S, Kaun C, Rega G,  
Speidl WS, Kastl SP, Weiss TW, Hohensinner PJ,  
**Dietrich W, Tschugguel W,** Bochkov VN,  
Awad EM, Maurer G, Huber K, Wojta J.  
The estrogen metabolite 17 $\beta$ -dihydroequilenin  
counteracts interleukin-1  $\alpha$  induced expression of  
inflammatory mediators in human endothelial cells  
in vitro via NF- $\kappa$ B pathway.  
Thromb Haemostasis 2006 Jan; 95 (1): 107-16 **IF: 3,056**

Kölle D, Windisch J, **Dörfler D,**  
Marth Ch, Kropshofer St  
Effect of tension-free vaginal tape operation on urethral  
closure function  
Urology 2006, 67: 524-529 **IF: 2,139**

Seidel MG, **Ernst U,** Printz D, Juergens B,  
Pichler J, Attarbaschi A, Fritsch G, Gadner H, Heitger A  
Expression of the putatively regulatory T-cell marker  
FOXP3 by CD4(+)CD25+ T cells after pediatric  
hematopoietic stem cell transplantation.  
Haematol-Hematol J 2006; 91(4): 566-569 **IF: 4,575**

Maltaris T, Koelbl H, **Fischl F,** Seufert R,  
Schmidt M, Kohl J, Beckmann MW, Binder H,  
Hoffmann I, Mueller A, Dietrich R  
Xenotransplantation of human ovarian tissue  
pieces in gonadotropin-stimulated SCID mice:  
the effect of ovariectomy  
Anticancer Res 2006 Nov-Dec; 26 (6B): 4171-6 **IF: 1,604**

Huirne JA, Hugues JN, Pirard C, **Fischl F,**  
Sage JC, Pouly JL, Obruca A, Braat DM,  
van Loenen AC, Lambalk CB  
Cetrorelix in an oral contraceptive-pretreated  
stimulation cycle compared with buserelin in IVF/ICSI  
patients treated with r-hFSH: a randomized,  
multicentre, phase IIIb study.  
Hum Reprod 2006 Jun; 21(6): 1408-15 **IF: 3,669**

**Freilinger A, Rosner M, Hengstschläger M**  
Tuberin negatively affects BCL-2's cell survival function.  
Amino Acids 2006, 30: 391-396 **IF: 2,172**

- Memarsadeghi M, Riedl CC, Kaneider A, **Galid A**, Rudas M, Matzek W, Helbich TH  
Axillary lymph node metastases in patients with breast carcinomas: assessment with nonenhanced versus uspio-enhanced MR imaging  
Radiology 2006 Nov; 241(2): 367-77 **IF: 5,377**
- Gruber DM, Huber JC**, Melis GB, Stagg C, Parke S, Marr J  
A comparison of the cycle control, safety, and efficacy profile of a 21-day regimen of ethinylestradiol 20µg and drospirenone 3mg with a 21-day regimen of ethinylestradiol 20µg and desogestrel 150µg.  
Treat Endocrinol 2006, 5 (2): 115-21
- Corder EH, **Hefler LA**  
Multilocus genotypes spanning estrogen metabolism associated with breast cancer and fibroadenoma.  
Rejuv Res 2006 Spring; 9 (1): 56-60 **IF: 8,571**
- Hefler LA, Grimm C**, Lantzsch T, Lampe D, Koelbl H, Lebrecht A, Heinze G, **Tempfer C, Reinthaller A, Zeillinger R**  
Polymorphisms of the endothelial nitric oxide synthase gene in breast cancer.  
Breast Cancer Res Treat 2006 Jul; 98 (2): 151-5 **IF: 4,643**
- Hefler LA, Grimm C, Bentz EK, Reinthaller A**, Heinze G, **Tempfer CB**  
A model for predicting age at menopause in white women.  
Fertil Steril 2006 Feb; 85 (2): 451-4 **IF: 3,114**
- Hefler LA, Zeillinger R, Grimm C**, Sood AK, Cheng WF, Gadducci A, **Tempfer CB, Reinthaller A**  
Preoperative serum vascular endothelial growth factor as a prognostic parameter in ovarian cancer.  
Gynecol Oncol 2006 Nov; 103 (2): 512-7 **IF: 2,251**
- Hefler LA, Grimm C, Speiser P, Sliutz G, Reinthaller A**  
The cyclooxygenase-2 inhibitor rofecoxib (Vioxx(R)) in the treatment of cervical dysplasia grade II-III A phase II trial.  
Eur J Obstet Gyn Reprod Biol 2006 Apr 1; 125 (2): 251-4 **IF: 1,141**
- Prayer D, Kasprian G, Brugger PL, Witzani L, **Helmer H, Dietrich W, Eppel W, Langer M**  
MRI of fetal acquired brain lesions.  
Eur J Radiology 2006, 57: 233-249 **IF: 1,888**
- Kasprian G, Brugger PC, **Helmer H, Langer M**, Balassy C, Prayer D  
Fetal lung development on MRT. Normal course and impairment due to premature rupture of membranes.  
Radiologe 2006, Feb; 46 (2): 120-7, Review **IF: 0,720**
- Hengstschläger M**  
Fetal magnetic resonance imaging and human genetics.  
Eur J Radiology 2006, 57, 312-315 **IF: 1,888**
- Huber A, Grimm C, Huber JC, Schneeberger C, Leodolter S, Reinthaller A, Tempfer CB, Hefler LA**  
A common polymorphism within the steroid 5-alpha-reductase type 2 gene and timing of menopause in Caucasian women.  
Eur J Obstet Gyn Reprod Biol 2006 Apr 1; 125 (2): 221-5 **IF: 1,141**
- Huber AV, Saleh L, Bauer S, Husslein P, Knöfler M**  
TNF $\alpha$ -mediated Induction of PAI-1 Restricts Invasion of HTR-8/SVneo Trophoblast Cells.  
Placenta 2006 Feb-Mar; 27 (2-3): 127-36 **IF: 2,883**
- Wolfler MM, Facchinetti F, Venturini P, **Huber A, Helmer H, Husslein P, Tschugguel W**  
Induction of labor at term using isosorbide mononitrate simultaneously with dinoprostone compared to dinoprostone treatment alone: a randomized, controlled trial.  
Am J Obstet Gynecol 2006 Dec; 195 (6): 1617-22 **IF: 3,083**
- Huber J, Walch K**  
Treating acne with oral contraceptives: use of lower doses.  
Contraception 2006 Jan; 73 (1): 23-9 **IF: 1,713**
- Hudelist G, Kostler WJ, Gschwantler-Kaulich D**, Czerwenka K, **Kubista E**, Muller R, Helmy S, **Manavi M, Zielinski CC, Singer CF**  
Serum EGFR levels and efficacy of trastuzumab- based therapy in patients with metastatic breast cancer.  
Eur J Cancer 2006 Jan; 42 (2): 186-92 **IF: 3,706**
- Hudelist G**, Kostler WJ, Czerwenka K, **Kubista E**, Attems J, Muller R, **Gschwantler-Kaulich D, Manavi M**, Huber I, Hoschutzky H, Zielinski CC, **Singer CF**  
Her-2/neu and EGFR tyrosine kinase activation predict the efficacy of trastuzumabbased therapy in patients with metastatic breast cancer.  
Int J Cancer 2006 Mar 1; 118 (5): 1126-34 **IF: 4,700**
- Hudelist G, Singer CF**, Pischinger K, Kaserer K, **Manavi M, Kubista E**, Czerwenka K  
Proteomic analysis in human breast cancer: identification of a characteristic protein expression profile in malignant breast epithelium  
Proteomics 2006, 6: 1989-2002 **IF: 6,088**



Köstler WJ\*, **Hudelist G\***, Rabitsch W, Czerwenka K, **Singer CF**, Mueller R, Zielinski CC

\* *equally contributed, different institutions*

Insulin-like growth factor-I receptor (IGF-IR) expression does not predict for resistance to trastuzumab-based treatment in patients with Her-2/neu overexpressing metastatic breast cancer  
J Canc Res Clin 2006, 132 (1) 9-18 **IF: 2,503**

**Imhof M**, Bergmeister H, **Lipovac M**, Rudas M, Hofstetter G, **Huber J**

Orthotopic microvascular re-anastomosis of whole cryopreserved ovine ovaries resulting in pregnancy and life birth.  
Fertil Steril 2006 Apr; 85 Suppl 1: 1208-15 **IF: 3,114**

**Imhof M**, Gocan A, Reithmayr F, **Lipovac M**, **Schimitzek C**, Chedraui P, **Huber J**

Effects of a red clover extract (MF11RCE) on endometrium and sex hormones in postmenopausal women.  
Maturitas 2006 Aug 20; 55 (1): 76-81 **IF: 2,004**

Bonaros N, Dunkler D, Kocher A, **Imhof M**, **Grimm M**, Zuckermann A, Wolner E, Laufer G

Ten-year follow-up of a prospective, randomized trial of BT563/bb10 versus anti-thymocyte globulin as induction therapy after heart transplantation.  
J Heart Lung Transpl 2006 Sep; 25 (9): 1154-63 **IF: 2,992**

Holzer A, **Jirecek S**, Illievich UM, **Huber J**, **Wenzl RJ**

Laparoscopic versus open myomectomy: a double-blind study to evaluate postoperative pain.  
Anesth Analg 2006, 102 (5), 1480-4 **IF: 2,452**

Oh J-E, **Karlmark KR**, Shin J-H, **Hengstschläger M**, Lubec G

Differentiation-dependent expression of hypothetical proteins in the neuroblastoma cell line N1E-115 (epub ahead 2005).  
Proteins - Structure Function and Bioinformatics 2006, 63, 671-680 **IF: 4,684**

Oh J-E, **Karlmark KR**, Shin J-H, Pollak A, **Hengstschläger M**, Lubec G

Cytoskeleton changes following differentiation of N1E-115 neuroblastoma cell line.  
Amino Acids 2006, 31: 289-298 **IF: 2,172**

**Kiss H**, Pichler E, **Petricevic L**, **Husslein P**

Cost effectiveness of a screen-and-treat program for asymptomatic vaginal infections in pregnancy: towards a significant reduction in the costs of prematurity.  
Eur J Obstet Gyn R B 2006, 127: 198-203 **IF: 1,141**

Dolznig H, Grebien F, Deiner EM, Stangl K, **Kolbus A**, Habermann B, Kerenyi MA, Kieslinger M, Moriggl R, Beug H, Mullner EW

Erythroid progenitor renewal versus differentiation: genetic evidence for cell autonomous, essential functions of EpoR, Stat5 and the GR.  
Oncogene 2006 May11; 25 (20): 2890-900 **IF:6,872**

**Kolbus A**, **Walch K**, **Szabo L**, **Huber JC**, **Nagele F**, **Unfried G**

A polymorphism of the interleukin-1 receptor antagonist is not associated with polycystic ovary syndrome in Caucasian women.  
Fertil Steril 2006 Feb; 85 (2): 523-5 **IF: 3,114**

Galabova-Kovacs G, **Kolbus A**, Matzen D, Meissl K, Piazzolla D, **Rubiolo C**, Steinitz K, Baccarini M

ERK and beyond: insights from B-Raf and Raf-1 conditional knockouts.  
Cell Cycle 2006 Jul; 5 (14): 1514-8, Review **IF: 4,400**

**Kolbus A**, **Walch K**, **Nagele F**, **Wenzl R**, **Unfried G**, **Huber JC**

Interleukin-1 alpha but not interleukin-1 beta gene polymorphism is associated with polycystic ovary syndrome.  
J Reprod Immunol 2006 Sep 9 **IF: 2,220**

Kametas NA, McAuliffe F, **Krampl E**, Nicolaidis KH, Shennan AH

Can aneroid sphygmomanometers be used at altitude?  
J Hum Hypertens 2006 Jul; 20 (7): 517-22 **IF: 2,405**

Prayer D, Kasprian G, **Krampl E**, **Ulm B**, Witzani L, Prayer L, Brugger PC

MRI of normal fetal brain development.  
Eur J Radiol 2006 Feb; 57 (2): 199-216 **IF: 1,888**

Prayer D, Brugger PC, **Krampl E**, Prayer L

Indications for fetal magnetic resonance imaging.  
Radiologe 2006 Feb; 46 (2): 98-104, Review **IF: 0,720**

Sailer T, Zoghalmi C, **Kurz C**, Rumpold H, Quehenberger P, Panzer S, Pabinger I

Anti- $\beta$ 2-glycoprotein I antibodies are associated with pregnancy loss in women with the lupus anticoagulant  
Thromb Haemostasis 2006; 95: 796-801 **IF: 3,056**

Fischer G, Ortner R, Rohrmeister K, Jagsch R, Baewert A, **Langer M**, Aschauer H.

Methadone vs. buprenorphine in pregnant addicts: a double-blind, double-dummy comparative study.  
Addiction 2006; 101 (2): 275-281 **IF:3,696**

**Leipold H, Knöfler M, Gruber C, Huber A, Haslinger P, Worda C**

Peroxisome Proliferator-Activated Receptor  $\gamma$  Coactivator-1 $\alpha$  Gene Variations Are Not Associated With Gestational Diabetes Mellitus. J Soc Gynecol Investig 2006 Feb; 13 (2): 104-7 **IF: 2,887**

**Leipold H, Knöfler M, Gruber C, Klein K, Haslinger P, Worda C**

Plasminogen activator inhibitor 1 gene polymorphism and gestational diabetes mellitus. Obstet Gynecol 2006 Mar; 107 (3): 651-6 **IF: 4,170**

**Leisser C, Saleh L, Haider S, Husslein H, Sonderegger S, Knöfler M**

Tumour necrosis factor-alpha impairs chorionic gonadotrophin beta-subunit expression and cell fusion of human villous cytotrophoblast. Mol Hum Reprod. 2006 Oct; 12 (10): 601-9 **IF: 3,191**

Maier S, Strasser S, Saiko P, **Leisser C**, Sasgary S, Grusch M, Madlener S, Bader Y, Hartmann J, Schott H, Mader RM, Szekeres T, Fritzer-Szekeres M, Krupitza G Analysis of mechanisms contributing to AraC-mediated chemoresistance and re-establishment of drug sensitivity by the novel heterodinucleoside phosphate 5-FdUrd-araC. Apoptosis 2006 Mar; 11 (3): 427-40 **IF: 4,497**

Strasser S, Maier S, **Leisser C**, Saiko P, Madlener S, Bader Y, Bernhaus A, Gueorguieva M, Richter S, Mader RM, Wesierska-Gadek J, Schott H, Szekeres T, Fritzer-Szekeres M, Krupitza G 5-FdUrd-araC heterodinucleoside re-establishes sensitivity in 5-FdUrd- and AraC-resistant MCF-7 breast cancer cells overexpressing ErbB2. Differentiation 2006 Dec; 74 (9-10): 488-98 **IF: 3,907**

**Leodolter S**

Ernst Wertheim, or the significance of the EBM of the cervical cancer. Zentralbl Gynaecol 2006, 128 (3): 97-103

Neumuller J, Neumuller-Guber SE, **Lipovac M**, Mosgoeller W, Vetterlein M, Pavelka M, **Huber J** Immunological and ultrastructural characterization of endothelial cell cultures differentiated from human cord blood derived endothelial progenitor cells. Histochem Cell Biol 2006 Dec; 126 (6): 649-64 **IF: 2,239**

Guirgea AG, Margeta C, Maca T, Rezaie-Majd A, Bucek RA, **Manavi M**, Afarideh R, Minar E, Baghestian M Simvastatin reduces serum level of vascular endothelial growth factor in hypercholesterolemic patients J Cardiovasc Pharmacol 2006; 47 (1): 30-36; **IF: 1,313**

**Matthai Ch**, Horvat R, **Noe M**, **Nagele F**, Radjabi A, **van Trotsenburg M**, **Huber JC**, **Kolbus A** Oct-4 expression in human endometrium. Mol Hum Repro 2006 Jan; 12 (1): 7-10 **IF: 3,191**

Huang H-L, Stasyk T, Morandell S, Dieplinger H, Falkensammer G, Griesmacher A, **Mogg M**, **Schreiber M**, Feuerstein I, Huck CW, Stecher G, Bonn GK, Huber LA Biomarker discovery in breast cancer serum using 2-D differential gel electrophoresis/ MALDI-TOF/TOF and data validation by routine clinical assays. Electrophoresis 2006; 27 (8): 1641-1650 **IF: 3,850**

Chen Z, Laurence A, Kanno Y, **Pacher-Zavisin M**, Zhu BM, Tato C, Yoshimura A, Hennighausen L, O'Shea JJ Selective regulatory function of Socs3 in the formation of IL-17-secreting T cells. Proc Natl Acad Sci U S A 2006; 103 (21): 8137-8142 **IF: 10,231**

Eliassen MM, Brabec M, Gerner C, **Pollheimer J**, Auer H, Zellner M, Weingartmann G, Garo F, Roth E, Oehler R Reduced stress tolerance of glutamine-deprived human monocytic cells is associated with selective down-regulation of Hsp70 by decreased mRNA stability. J Mol Med 2006 Feb; 84 (2): 147-58 **IF: 4,702**

**Pollheimer J**, **Loregger T**, **Sonderegger S**, **Saleh L**, **Bauer S**, Bilban M, Czerwenka K, **Husslein P**, **Knöfler M** Activation of the Canonical Wingless (Wnt) / T-cell factor (TCF) Signalling Pathway promotes Invasive Differentiation of Human Trophoblast. Am J Pathol 2006 Apr; 168 (4): 1134-47 **IF: 5,796**

**Preyer O**, **Hanzal E**, **Umek W**, **Laml T** Veränderungen des Beckenbodens durch Schwangerschaft und Geburt. Geburtsh Frauenheilk 2006; 66: 450-454 **IF: 0,760**

Petru E, Angleitner-Boubenizek L, **Reinhaller A**, Deibl M, Zeimet AG, Volgger B, Stempf A, Marth C Combined PEG liposomal doxorubicin and gemcitabine are active and have acceptable toxicity in patients with platinum-refractory and -resistant ovarian cancer after previous platinum-taxane therapy: a phase II Austrian AGO study. Gynecol Oncol 2006 Aug; 102 (2): 226-9 **IF: 2,251**

Petru E, Angleitner-Boubenizek L, **Reinhaller A**, Volgger B, **Kohlberger P**, Deibl M, Bogner G, Wolfram G, Hartmann B, Marth C Weekly Docetaxel and Irinotecan in platinum-refractory and -resistant ovarian cancer: a phase II study of the Austrian AGO. Int J Gynecol Cancer 2006 16 (s3), 815-830 **IF: 1,427**

**Rosner M, Hengstschläger M**

14-3-3 proteins are involved in the regulation of mammalian cell proliferation.

Amino Acids 2006; 30: 105-109

IF: 2,172

**Rosner M, Freilinger A, Hengstschläger M**

The tuberous sclerosis genes and the cell cycle regulation of the cyclin-dependent kinase inhibitor p27.

Mutation Research-Reviews in Mutation Research 2006; 613: 10-16

IF: 5,333

**Rubiolo C, Piazzolla D, Meißl K, Beug H,****Huber JC, Kolbus A, Baccarini M**

A Balance Between Raf-1 And Fas Expression Sets The Pace Of Erythroid Differentiation.

Blood 2006 Jul 1; 108 (1): 152-9

IF: 10,131

**Sator K, Sator MO, Sator PG, Egarter C, Huber JC**

Effects of tibolone on selectins in postmenopausal women

Maturitas 2006, Jan 20; 53 (2): 166-70

IF: 2,004

Sator-Katzenschlager SM, Wolfler MM,

Kozek-Langenecker SA, **Sator K**, Sator PG, Li B, Heinze G, **Sator MO**

Auricular electro-acupuncture as an additional perioperative analgesic method during oocyte aspiration in IVF treatment.

Hum Reprod 2006 Aug; 21 (8): 2114-20

IF: 3,669

Jones DH, Nakashima T, Sanchez OH, Kozieradzki I, Komarova SV, Sarosi I, Morony S, Rubin E, Sarao R, Hojilla CV, Komnenovic V, Kong Y-Y, **Schreiber M**, Dixon SJ, Sims SM, Khokha R, Wada T, Penninger JM.

Regulation of cancer cell migration and bone metastasis by RANKL.

Nature 2006; 440 (7084): 692-696

IF: 28,878

Waerner T, Alacaptan M, Tamir I, Oberauer R, Gal A, Brabletz T, **Schreiber M**, Jechlinger M, Beug H

ILE1: a cytokine essential for EMT, tumor formation, and late events in metastasis in epithelial cells.

Cancer Cell 2006; 10 (3): 227-239

IF: 18,725

**Shim KS, Rosner M, Freilinger A,****Lubec G, Hengstschläger M**

Bach2 is involved in neuronal differentiation of N1E-115 neuroblastoma cells.

Exp Cell Res 2006; 312: 2264-2278

IF: 4,148

**Singer CF, Fink-Retter A,****Gschwantler-Kaulich D, Thalhammer T, Hudelist G, Mueller R, Czerwenka K, Kubista E**

Selective spatial upregulation of intratumoral stromal aromatase in breast cancer patients: evidence for imbalance of local estrogen metabolism.

Endocr Relat Cancer 2006 Dec; 13 (4): 1101-7

IF: 4,905

**Singer CF, Hudelist G, Gschwantler-Kaulich D,****Fink-Retter A, Mueller R, Walter I, Czerwenka K, Kubista E**

Interleukin-1 alpha protein secretion in breast cancer is associated with poor differentiation and estrogen receptor-alpha negativity.

Int J Gynecol Cancer 2006; 16 Suppl 2: 556-9

IF: 1,427

**Singer CF, Fink-Retter A, Gschwantler-Kaulich D,****Thalhammer T, Hudelist G, Mueller R, Czerwenka K, Kubista E**

Selective spatial upregulation of intratumoral stromal aromatase in breast cancer patients: evidence for imbalance of local estrogen metabolism.

Endocr Relat Cancer 2006; 13 (4): 1101-7

IF: 4,905

**Singer CF, Hudelist G, Walter I, Rueckliniger E,****Czerwenka K, Kubista E, Huber AV**

Tissue array-based expression of transglutaminase-2 in human breast and ovarian cancer.

Clin Exp Metastasis 2006, 23(1): 33-9

IF: 2,811

**Singer CF \*, G Hudelist G\*, Lamm W, Mueller R,****Handl C, Czerwenka K, Kubista E**

*\*equally contributed, different institutions*

Active (p)CrkL is overexpressed in human malignancies: Potential role as a surrogate parameter for therapeutic tyrosine kinase inhibition.

Oncology Reports 2006 15 (2): 353-359

IF: 1,572

**Langer S, Singer CF, Hudelist G, Dampier B,****Kaserer K, Vinatzer U, Pehamberger H,****Zielinski C, Kubista E, Schreiber M**

Jun and Fos family protein expression in human breast cancer: correlation of protein expression and clinicopathological parameters.

Eur J Gynaecol Oncol 2006; 27 (4): 345-352

IF: 0,591

**Six L, Grimm C, Leodolter S, Tempfer C, Zeillinger R,****Slutz G, Speiser P, Reinhaller A, Hefler LA**

A polymorphism in the matrix metalloproteinase-1 gene promotor is associated with the prognosis of patients with ovarian cancer.

Gynecol Oncol 2006 Mar; 100 (3): 506-10

IF: 2,251

**Tempfer CB, Hefler LA, Schneeberger C, Huber JC**

How valid is single nucleotide polymorphism (SNP) diagnosis for the individual risk assessment of breast cancer?

Gynecol Endocrinol 2006 Mar; 22 (3): 155-9

IF: 0,852

**Tempfer C, Bentz EK, Unfried G, Walch K,****Czizek U, Keck C, Huber JC**

A combination treatment of prednisone, aspirin, folate, and progesterone in 67 women with recurrent spontaneous abortion – a matched pair study.

Fertil Steril 2006; 86 (1): 145-8

IF: 3,114



- Gabriel B, Watermann D, Hancke K, Gitsch G, Werner M, **Tempfer C**, zur Hausen A  
Increased expression of matrix metalloproteinase 2 in utero-sacral ligaments is associated with pelvic organ prolapse.  
Int Urogynecol J Pelvic Floor Dysfunct. 2006; 17 (5): 478-82 **IF: 1,907**
- Gabriel B, zur Hausen A, Stickeler E, Dietz C, Gitsch G, Fischer D, Bouda J, **Tempfer C**, Hasenburger A  
Weak expression of Focal Adhesion Kinase (pp125FAK) in patients with cervical cancer is associated with poor disease outcome.  
Clin Cancer Res 2006; 12 (8): 2476-83 **IF: 5,715**
- Tempfer C, Hefler LA, Schneeberger C, Huber JC**  
How valid is single nucleotide polymorphism (SNP) diagnosis for the individual risk assessment of breast cancer?  
Gynecol Endocrinol 2006; 22 (3): 155-9 **IF: 0,852**
- Tong D**, Czerwenka K, Heinze G, Ryffel M, **Schuster E, Witt A, Leodolter S, Zeillinger R**  
Expression of KLF5 is a prognostic factor for disease-free survival and overall survival in patients with breast cancer.  
Clin Cancer Res 2006 Apr 15; 12 (8): 2442-8 **IF: 5,715**
- Turkof E**, Wulkersdorfer B, Bukaty A  
Reconstruction of cavernous nerves by nerve grafts to restore potency: contemporary review of technical principles and basic anatomy  
Curr Opin Urol 2006, 16 (6): 401-6 **IF: 2,131**
- Turkof E**, Jurasch N, Knolle E, Schwendenwein I, Habib D, Unger E, Reichel M, Losert U  
Motor Evoked Potentials enable Differentiation between motor and sensory peripheral nerves in the Animal experiment  
J Reconstr Microsurg 2006, 22 (7): 523-530 **IF: 0,757**
- Morgan DM, **Umek W**, Stein T, Hsu Y, Guire K, Delancey JO  
Interrater reliability of assessing levator ani muscle defects with magnetic resonance images.  
Int Urogynecol J Pelvic Floor Dysfunct 2006 Oct 17 **IF: 1,907**
- Margulies RU, Hsu Y, Kearney R, Stein T, **Umek WH**, DeLancey JO  
Appearance of the levator ani muscle subdivisions in magnetic resonance images.  
Obstet Gynecol 2006 May; 107 (5): 1064-9 **IF: 4,170**
- Streubel B, **Vinatzer U**, Willheim M, Raderer M, Chott A  
Novel t(5;9)(q33;q22) fuses ITK to SYK in unspecified peripheral T-cell lymphoma.  
Leukemia 2006; 20 (2): 313-318 **IF: 6,612**
- Vogl SE**, Worda C, **Egarter C**, Bieglmayer C, Szekeres T, **Huber J, Husslein P**  
Mode of delivery is associated with maternal and fetal endocrine stress response.  
BJOG 2006; 113: 441 - 445 **IF: 2,171**
- Finch A, Beiner M, Lubinski J, Lynch HT, Moller P, Rosen B, Murphy J, Ghadirian P, Friedman E, Foulkes WD, Kim-Sing C, **Wagner T**, Tung N, Couch F, Stoppa-Lyonnet D, Ainsworth P, Daly M, Pasini B, Gershoni-Baruch R, Eng C, Olopade OI, McLennan J, Karlan B, Weitzel J, Sun P, Narod SA  
Hereditary Ovarian Cancer Clinical Study Group.  
Salpingo-oophorectomy and the risk of ovarian, fallopian tube, and peritoneal cancers in women with a BRCA1 or BRCA2 Mutation.  
JAMA 2006 Jul 12; 296 (2): 185-92 **IF: 23,494**
- Andrieu N, Easton DF, Chang-Claude J, Rookus MA, Brohet R, Cardis E, Antoniou AC, **Wagner T**, Simard J, Evans G, Peock S, Fricker JP, Nogues C, Van't Veer L, Van Leeuwen FE, Goldgar DE.  
Epidemiological Study of BRCA1 and BRCA2 Mutation Carriers (EMBRACE); Gene Etude Prospective Sein Ovaire (GENEPSO); Gen en Omgeving studie van de werkgroep Hereditair Borstkanker Onderzoek Nederland (GEO-HEBON); International BRCA1/2 Carrier Cohort Study (IBCCS) Collaborators' Group; Effect of chest X-rays on the risk of breast cancer among BRCA1/2 mutation carriers in the international BRCA1/2 carrier cohort study: a report from the EMBRACE, GENEPSO, GEO-HEBON, and IBCCS Collaborators' Group.  
J Clin Oncol 2006 Jul 20; 24 (21): 3361-6 **IF: 11,810**
- Domchek SM, Friebel TM, Neuhausen SL, **Wagner T**, Evans G, Isaacs C, Garber JE, Daly MB, Eeles R, Matloff E, Tomlinson GE, Van't Veer L, Lynch HT, Olopade OI, Weber BL, Rebbeck TR.  
Mortality after bilateral salpingo-oophorectomy in BRCA1 and BRCA2 mutation carriers: a prospective cohort study.  
Lancet Oncol 2006 Mar; 7 (3): 223-9 **IF: 9,608**
- Walch K, Grimm C, Nagele F, Huber J**, Wolfler M, **Vytiska-Binstorfer E, Unfried G, Hefler L**  
Impaired glucose tolerance is associated with changes in clinical and biochemical parameters in women with polycystic ovary syndrome. Acta Obstet Gynecol Scand 2006; 85 (7): 869-73 **IF: 1,549**
- Weghofer A**, Feichtinger W  
The forgotten variable: impact of luteinizing hormone on the prediction of ovarian reserve.  
Fertil Steril 2006, 85: 259-61 **IF: 3,114**
- IMPAKTFAKTOR GESAMT: IF: 374,186**
- IMPAKTFAKTOR ERSTAUTOREN: IF: 137,572**